

Metastorm BPM[®] 7+ Developer Certification



SAMPLE QUESTIONS

Standard Level Certification (Metastorm BPM[®] 7+)

Section 1a – Multiple-choice [10 marks]

Questions 1 - 5

Each of the following multiple-choice questions has only one correct answer. Each correct answer is worth 1 mark.

1. What is the default <i>Available to roles</i> setting for an Administration form?	A) everybody B) access C) ework administrator D) originator	A <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> D <input type="checkbox"/>	
2. Which Metastorm BPM function returns a null date-time value?	A) %EMPTY() B) %NEVER() C) %NULL D) %NoDate	A <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> D <input type="checkbox"/>	
3. Which action types can be drawn to an Archive stage?	A) All except rendezvous B) All except flagged C) User, timed and conditional only D) All types	A <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> D <input type="checkbox"/>	
4. Which of the following procedure components CANNOT be included as part of a Library?	A) Map B) Form C) Script D) Form Segment	A <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> D <input type="checkbox"/>	

5. Which of the following is the default authentication script for user authentication?	A) eSignature.js	A <input type="checkbox"/>	
	B) eSSO.js	B <input type="checkbox"/>	
	C) elogin.js	C <input type="checkbox"/>	
	D) euser.js	D <input type="checkbox"/>	

Questions 5 - 10

Each question has a number of options that are true; each question carries 1 mark.

All the correct options must be identified to gain the mark.

E.g a question of this type might have 3 correct answers: A, B and C. All three would have to be ticked in order to gain the mark.

6. Which of the following form field types are associated with a text variable?	A) Drop-down	A <input type="checkbox"/>	
	B) Memo	B <input type="checkbox"/>	
	C) Radio Group	C <input type="checkbox"/>	
	D) List Box	D <input type="checkbox"/>	
7. Which of the following action types possess the <i>Clone new folder</i> property?	A) Timed action	A <input type="checkbox"/>	
	B) Initiating user action	B <input type="checkbox"/>	
	C) Flagged action	C <input type="checkbox"/>	
	D) Loop-back user action	D <input type="checkbox"/>	
8. Which of the following system variables should NOT be used in the <i>When action started</i> property of a folder creation action?	A) %Originator	A <input type="checkbox"/>	
	B) %EntryTime	B <input type="checkbox"/>	
	C) %Action.Name	C <input type="checkbox"/>	
	D) %System.Time	D <input type="checkbox"/>	
9. Of the following stages, which have a Watch List property?	A) Archive stage	A <input type="checkbox"/>	
	B) Common stage	B <input type="checkbox"/>	
	C) System stage	C <input type="checkbox"/>	
	D) User stage	D <input type="checkbox"/>	
10. Which of the following applications (ignoring service packs) is the Metastorm BPM universal client (FAT) components supported with?	A) Outlook 2003	A <input type="checkbox"/>	
	B) Outlook 2000	B <input type="checkbox"/>	
	C) Outlook Express	C <input type="checkbox"/>	
	D) Outlook 98	D <input type="checkbox"/>	

Candidate Name _____

Metastorm Developer Certification

SAMPLE QUESTIONS

Standard Certification (Metastorm BPM® 7+)

Section 1b – Extended Answers [10 marks]

Each question in this section requires a written answer. Each question carries a number of marks as indicated in the question.
Type your answers in the spaces provided; when you complete the exam, please save your paper as directed by the invigilator.

1. Explain the functionality of the *Re-open folder* action property. Specifically – what behaviour does this property enable in the Metastorm BPM client?

[2]

Use this space to answer

2. Describe the stages and actions that must be used in order to enter and exit a map segment

[3]

Use this space to answer

3. Describe how the Folder-in-Folder functionality of a Folder Grid should be set up; assuming a valid table & row condition for the grid, what specific properties must be set in order for this functionality to be achieved? Additionally, describe the client-side functionality of folder-in-folder.

[5]

Use this space to answer